SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks

SHRD60 Series Concealment Shrouds provide mounting for wireless and ancillary equipment required for Small Cell / Densification deployments, including:

- Radios
- AC-to-DC power supplies
- Diplexers / combiners / splitters
- Fiber termination / slack storage
- Power termination / disconnect

Features

- Curved shape matches the pole contour, eliminating right angles found in typical outside plant enclosures
- Integrated support spine allows for equipment to be installed and pre-wired at ground level, on-site or at a staging facility
- Vented design to maintain thermal performance of radios and equipment without active cooling
- Powder coated finish to withstand the elements and provide superior corrosion resistance, offered in a variety of standard and custom colors to match the pole on which it will be installed (standard colors include: off-white, black, textured gray, and National Park Brown)
- Cable raceways with tie-points for routing and securing cabling inside shroud
- Hinged door with wind latch for ease of service and maintenance
- Lift points for ease of installation on utility poles, light poles or other pole-mount locations
- Integrated support spine to accommodate mounting to wood, steel, concrete or composite poles

For additional product information, please visit **www.charlesindustries.com**

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.
Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks

30” High SH60-301814 for 4 Low Power Radios

Dimensions:	30”Hx18”Wx14”D
Volume:	4.375 ft^3
Weight (Empty):	55 lbs.
Weight (Max Load):	165 lbs. typical
Construction:	Spine: 12 gauge steel Door/Sides: .125” aluminum
Bonding/Grounding:	One 8 position ground bar
Operating Temp:	-40° to +131°F, Inside Enc.; -40° to +115°F, Outside Enc.
Humidity:	0 to 95% (non-condensing)
Altitude:	Up to 2,000 meters (6560’)

36” High SH60-362018 for 1 High Power Radio

May also be used for multiple low power radios

Dimensions:	36”Hx20”Wx18”D
Volume:	7.5 ft^3
Weight (Empty):	54 lbs.
Weight (Max Load):	186 lbs. typical
Construction:	Spine: 12 gauge steel Door/Sides: .125” aluminum
Bonding/Grounding:	One 8 position ground bar
Operating Temp:	-40° to +131°F, Inside Enc.; -40° to +115°F, Outside Enc.
Humidity:	0 to 95% (non-condensing)
Altitude:	Up to 2,000 meters (6560’)

36” High SH60-362322 for 1 High Power Radio

May also be used for multiple low power radios

Dimensions:	36”Hx23”Wx22”D
Volume:	10.5 ft^3
Weight (Empty):	77 lbs.
Weight (Max Load):	220 lbs. typical
Construction:	Spine: 12 gauge steel Door/Sides: .125” aluminum
Bonding/Grounding:	One 8 position ground bar
Operating Temp:	-40° to +131°F, Inside Enc.; -40° to +115°F, Outside Enc.
Humidity:	0 to 95% (non-condensing)
Altitude:	Up to 2,000 meters (6560’)

For additional product information, please visit **www.charlesindustries.com**

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

Charles

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks

46” High SH60-461414 for 4 Low Power Radios

Dimensions:	46”Hx14”Wx14”D
Volume:	5.2 ft^3
Weight (Empty):	50 lbs.
Weight (Max Load):	130 lbs. typical
Construction:	Spine: 12 gauge steel Door/Sides: .125” aluminum
Bonding/Grounding:	One 14 position ground bar
Operating Temp:	-40° to +131°F, Inside Enc.; -40° to +115°F, Outside Enc.
Humidity:	0 to 95% (non-condensing)
Altitude:	Up to 2,000 meters (6560’)

46” High SH60-461814 for 7 Low Power Radios

Dimensions:	46”Hx18”Wx14”D
Volume:	6.73 ft^3
Weight (Empty):	68 lbs.
Weight (Max Load):	155 lbs. typical
Construction:	Spine: 12 gauge steel Door/Sides: .125” aluminum
Bonding/Grounding:	One 8 position ground bar
Operating Temp:	-40° to +131°F, Inside Enc.; -40° to +115°F, Outside Enc.
Humidity:	0 to 95% (non-condensing)
Altitude:	Up to 2,000 meters (6560’)

50” High SH60-503018 for High Power Radios

Dimensions:	50”Hx30”Wx18”D
Volume:	15.625 ft^3
Weight (Empty):	97 lbs.
Weight (Max Load):	315 lbs. typical
Construction:	Spine: 12 gauge steel Door/Sides: .125” aluminum
Bonding/Grounding:	One 14 position ground bar
Operating Temp:	-40° to +131°F, Inside Enc.; -40° to +115°F, Outside Enc.
Humidity:	0 to 95% (non-condensing)
Altitude:	Up to 2,000 meters (6560’)

For additional product information, please visit **www.charlesindustries.com**

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

Charles

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks

50” High SH60-503027 for High Power Radios

Dimensions:	50”Hx30”Wx27”D
Volume:	23.4 ft^3
Weight (Empty):	135 lbs.
Weight (Max Load):	395 lbs. typical
Construction:	Spine: 12 gauge steel Door/Sides: .125” aluminum
Bonding/Grounding:	One 14 position ground bar
Operating Temp:	-40° to +131°F, Inside Enc.; -40° to +115°F, Outside Enc.
Humidity:	0 to 95% (non-condensing)
Altitude:	Up to 2,000 meters (6560’)

70” High SH60-702018 for 2 High Power Radios

Dimensions:	70”Hx20”Wx18”D
Volume:	14.5 ft^3
Weight (Empty):	92 lbs.
Weight (Max Load):	290 lbs. typical
Construction:	Spine: 12 gauge steel Door/Sides: .125” aluminum
Bonding/Grounding:	One 14 position ground bar
Operating Temp:	-40° to +131°F, Inside Enc.; -40° to +115°F, Outside Enc.
Humidity:	0 to 95% (non-condensing)
Altitude:	Up to 2,000 meters (6560’)

Many custom configurations of SHRD60 Concealment Shrouds are available.

Please consult your Charles Salesperson for further details or call (847) 806-6300.

MADE IN THE USA

For additional product information, please visit **www.charlesindustries.com**

Charles Industries, Ltd.
Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

Charles

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks

30” HIGH SH60-301814 CONFIGURATIONS & COLOR OPTIONS

PART NUMBER	DESCRIPTION	RADIOS SUPPORTED	COLOR	TOUCH-UP PAINT
SH60-301814ANEN	30” Curved Cage Shroud	(4) Ericsson 2203/2205 radios / (4) Nokia Airscale Micro radios	Off-White	02-000290-0
SH60-301814DNEN	30” Curved Cage Shroud	(4) Ericsson 2203/2205 radios / (4) Nokia Airscale Micro radios	Gray, RAL7035	02-000590-0
SH60-301814FNEN	30” Curved Cage Shroud	(4) Ericsson 2203/2205 radios / (4) Nokia Airscale Micro radios	Black	02-000589-0
SH60-301814GNEN	30” Curved Cage Shroud	(4) Ericsson 2203/2205 radios / (4) Nokia Airscale Micro radios	National Park Brown	02-000585-0

36” HIGH SH60-362018 CONFIGURATIONS & COLOR OPTIONS

PART NUMBER	DESCRIPTION	RADIOS SUPPORTED	COLOR	TOUCH-UP PAINT
SH60-362018ANC1	36” Curved Cage Shroud	(1) Nokia AHFIA or AHBCA, (1) Nokia Airscale Micro, (1) Nokia FWHR	Off-White	02-000290-0
SH60-362018CNC1	36” Curved Cage Shroud	(1) Nokia AHFIA or AHBCA, (1) Nokia Airscale Micro, (1) Nokia FWHR	Cool White	02-000634-0
SH60-362018DNC1	36” Curved Cage Shroud	(1) Nokia AHFIA or AHBCA, (1) Nokia Airscale Micro, (1) Nokia FWHR	Gray, RAL7035	02-000590-0
SH60-362018FNC1	36” Curved Cage Shroud	(1) Nokia AHFIA or AHBCA, (1) Nokia Airscale Micro, (1) Nokia FWHR	Black	02-000589-0
SH60-362018GNC1	36” Curved Cage Shroud	(1) Nokia AHFIA or AHBCA, (1) Nokia Airscale Micro, (1) Nokia FWHR	National Park Brown	02-000585-0
SH60-362018NNC1	36” Curved Cage Shroud	(1) Nokia AHFIA or AHBCA, (1) Nokia Airscale Micro, (1) Nokia FWHR	Brown Gray	02-000693-0
SH60-362018ANE5	36” Curved Cage Shroud	(1) Ericsson 8843, or 4449, or 4478, or 4426, or 4415 RRH and (2) Ericsson 220x RRHs	Off-White	02-000290-0
SH60-362018DNE5	36” Curved Cage Shroud	(1) Ericsson 8843, or 4449, or 4478, or 4426, or 4415 RRH and (2) Ericsson 220x RRHs	Gray, RAL7035	02-000590-0
SH60-362018FNE5	36” Curved Cage Shroud	(1) Ericsson 8843, or 4449, or 4478, or 4426, or 4415 RRH and (2) Ericsson 220x RRHs	Black	02-000589-0
SH60-362018GNE5	36” Curved Cage Shroud	(1) Ericsson 8843, or 4449, or 4478, or 4426, or 4415 RRH and (2) Ericsson 220x RRHs	National Park Brown	02-000585-0
SH60-362018ANE6	36” Curved Cage Shroud	(1) Ericsson 4415 RRH and (1) Ericsson 220x RRH	Off-White	02-000290-0
SH60-362018DNE6	36” Curved Cage Shroud	(1) Ericsson 4415 RRH and (1) Ericsson 220x RRH	Gray, RAL7035	02-000590-0
SH60-362018FNE6	36” Curved Cage Shroud	(1) Ericsson 4415 RRH and (1) Ericsson 220x RRH	Black	02-000589-0
SH60-362018GNE6	36” Curved Cage Shroud	(1) Ericsson 4415 RRH and (1) Ericsson 220x RRH	National Park Brown	02-000585-0

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks

36” HIGH SH60-362322 CONFIGURATIONS & COLOR OPTIONS

PART NUMBER	DESCRIPTION	RADIOS SUPPORTED	COLOR	TOUCH-UP PAINT
SH60-362322ANN2	36” Curved Cage Shroud	(2) Nokia AHxxx 160W dual band RRHs, or (1) Nokia 160W AHxxx dual band RRH and (2) Nokia Airscale Micro RRHs, or (1) Nokia AHxxx 320W RRH	Off-White	02-000290-0
SH60-362322DNN2	36” Curved Cage Shroud	(2) Nokia AHxxx 160W dual band RRHs, or (1) Nokia 160W AHxxx dual band RRH and (2) Nokia Airscale Micro RRHs, or (1) Nokia AHxxx 320W RRH	Gray, RAL7035	02-000590-0
SH60-362322FNN2	36” Curved Cage Shroud	(2) Nokia AHxxx 160W dual band RRHs, or (1) Nokia 160W AHxxx dual band RRH and (2) Nokia Airscale Micro RRHs, or (1) Nokia AHxxx 320W RRH	Black	02-000589-0
SH60-362322GNN2	36” Curved Cage Shroud	(2) Nokia AHxxx 160W dual band RRHs, or (1) Nokia 160W AHxxx dual band RRH and (2) Nokia Airscale Micro RRHs, or (1) Nokia AHxxx 320W RRH	National Park Brown	02-000585-0
SH60-362322ANS1	36” Curved Cage Shroud	(1) Samsung 320W dual band RRH and (1) Samsung Micro RRH or (1) Samsung 160W dual band RRH and (2) Samsung Micro RRHs	Off-White	02-000290-0
SH60-362322DNS1	36” Curved Cage Shroud	(1) Samsung 320W dual band RRH and (1) Samsung Micro RRH or (1) Samsung 160W dual band RRH and (2) Samsung Micro RRHs	Gray, RAL7035	02-000590-0
SH60-362322FNS1	36” Curved Cage Shroud	(1) Samsung 320W dual band RRH and (1) Samsung Micro RRH or (1) Samsung 160W dual band RRH and (2) Samsung Micro RRHs	Black	02-000589-0
SH60-362322GNS1	36” Curved Cage Shroud	(1) Samsung 320W dual band RRH and (1) Samsung Micro RRH or (1) Samsung 160W dual band RRH and (2) Samsung Micro RRHs	National Park Brown	02-000585-0

46” HIGH SH60-461414 CONFIGURATIONS & COLOR OPTIONS

PART NUMBER	DESCRIPTION	RADIOS SUPPORTED	COLOR	TOUCH-UP PAINT
SH60-461414ANE1	46” Curved Cage Shroud	(4) Ericsson 220x radios	Off-White	02-000290-0
SH60-461414DNE1	46” Curved Cage Shroud	(4) Ericsson 220x radios	Gray, RAL7035	02-000590-0
SH60-461414FNE1	46” Curved Cage Shroud	(4) Ericsson 220x radios	Black	02-000589-0
SH60-461414GNE1	46” Curved Cage Shroud	(4) Ericsson 220x radios	National Park Brown	02-000585-0
SH60-461414ANN1	46” Curved Cage Shroud	(4) Nokia Airscale Micro radios	Off-White	02-000290-0
SH60-461414DNN1	46” Curved Cage Shroud	(4) Nokia Airscale Micro radios	Gray, RAL7035	02-000590-0
SH60-461414FNN1	46” Curved Cage Shroud	(4) Nokia Airscale Micro radios	Black	02-000589-0
SH60-461414GNN1	46” Curved Cage Shroud	(4) Nokia Airscale Micro radios	National Park Brown	02-000585-0
SH60-461414DNN4	46” Curved Cage Shroud	(2) Nokia cMRO radios	Gray, RAL7035	02-000590-0
SH60-461414DNJ1	46” Curved Cage Shroud	(1) JMA Teko 20W VHP DAS remote	Gray, RAL7035	02-000590-0
SH60-461414DNP1	46” Curved Cage Shroud	(1) Commscope ION UH Remote	Gray, RAL7035	02-000590-0

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks

46” HIGH SH60-461814 CONFIGURATIONS & COLOR OPTIONS

PART NUMBER	DESCRIPTION	RADIOS SUPPORTED	COLOR	TOUCH-UP PAINT
SH60-461814ANE2	46” Curved Cage Shroud	(7) Ericsson 220x RRHs	Off-White	02-000290-0
SH60-461814DNE2	46” Curved Cage Shroud	(7) Ericsson 220x RRHs	Gray, RAL7035	02-000590-0
SH60-461814FNE2	46” Curved Cage Shroud	(7) Ericsson 220x RRHs	Black	02-000589-0
SH60-461814GNE2	46” Curved Cage Shroud	(7) Ericsson 220x RRHs	National Park Brown	02-000585-0
SH60-461814DNC4	46” Curved Cage Shroud	(3) Ericsson 220x, (3) Nokia Airscale Micro, (1) Nokia FWHR radios	Gray, RAL7035	02-000590-0
SH60-461814FNC4	46” Curved Cage Shroud	(3) Ericsson 220x, (3) Nokia Airscale Micro, (1) Nokia FWHR radios	Black	02-000589-0
SH60-461814GNC4	46” Curved Cage Shroud	(3) Ericsson 220x, (3) Nokia Airscale Micro, (1) Nokia FWHR radios	National Park Brown	02-000585-0

50” HIGH SH60-503018 CONFIGURATIONS & COLOR OPTIONS

PART NUMBER	DESCRIPTION	RADIOS SUPPORTED	COLOR	TOUCH-UP PAINT
SH60-503018ANXX	50” Curved Cage Shroud	Many custom configurations available. Consult your Charles Salesperson.	Off-White	02-000290-0
SH60-503018DNXX	50” Curved Cage Shroud	Many custom configurations available. Consult your Charles Salesperson.	Gray, RAL7035	02-000590-0
SH60-503018FNXX	50” Curved Cage Shroud	Many custom configurations available. Consult your Charles Salesperson.	Black	02-000589-0
SH60-503018GNXX	50” Curved Cage Shroud	Many custom configurations available. Consult your Charles Salesperson.	National Park Brown	02-000585-0

50” HIGH SH60-503027 CONFIGURATIONS & COLOR OPTIONS

PART NUMBER	DESCRIPTION	RADIOS SUPPORTED	COLOR	TOUCH-UP PAINT
SH60-503027ANC3	50” Curved Cage Shroud	(2) Ericsson RUS32 & (1) Ericsson RUS12	Off-White	02-000290-0
SH60-503027FNC3	50” Curved Cage Shroud	(2) Ericsson RUS32 & (1) Ericsson RUS12	Black	02-000589-0
SH60-503027DNC6	50” Curved Cage Shroud	(2) Nokia 40W, (1) Airspan Airharmony 4400 radios	Gray, RAL7035	02-000590-0
SH60-503027FNC6	50” Curved Cage Shroud	(2) Nokia 40W, (1) Airspan Airharmony 4400 radios	Black	02-000589-0
SH60-503027GNC6	50” Curved Cage Shroud	(2) Nokia 40W, (1) Airspan Airharmony 4400 radios	National Park Brown	02-000585-0
SH60-503027DNE7	50” Curved Cage Shroud	(1) Ericsson 8843, (1) RUS32, & (1) 4449 or RUS12	Gray, RAL7035	02-000590-0
SH60-503027FNE7	50” Curved Cage Shroud	(1) Ericsson 8843, (1) RUS32, & (1) 4449 or RUS12	Black	02-000589-0
SH60-503027GNE7	50” Curved Cage Shroud	(1) Ericsson 8843, (1) RUS32, & (1) 4449 or RUS12	National Park Brown	02-000585-0
SH60-503027DNE8	50” Curved Cage Shroud	(2) Ericsson RRUS11/12 OR (1) RRUS11/12 and (1) RRUW RRH, and (2) Ericsson 4415 or 4426 RRH	Gray, RAL7035	02-000590-0
SH60-503027FNE8	50” Curved Cage Shroud	(2) Ericsson RRUS11/12 OR (1) RRUS11/12 and (1) RRUW RRH, and (2) Ericsson 4415 or 4426 RRH	Black	02-000589-0
SH60-503027GNE8	50” Curved Cage Shroud	(2) Ericsson RRUS11/12 OR (1) RRUS11/12 and (1) RRUW RRH, and (2) Ericsson 4415 or 4426 RRH	National Park Brown	02-000585-0

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks

70” HIGH SH60-702018 CONFIGURATIONS & COLOR OPTIONS

PART NUMBER	DESCRIPTION	RADIOS SUPPORTED	COLOR	TOUCH-UP PAINT
SH60-702018ANE3	70” Curved Cage Shroud	Ericsson RRUS12 or RRUL11, (2) radios total	Off-White	02-000290-0
SH60-702018DNE3	70” Curved Cage Shroud	Ericsson RRUS12 or RRUL13, (2) radios total	Gray, RAL7035	02-000590-0
SH60-702018FNE3	70” Curved Cage Shroud	Ericsson RRUS12 or RRUL13, (2) radios total	Black	02-000589-0
SH60-702018GNE3	70” Curved Cage Shroud	Ericsson RRUS12 or RRUL13, (2) radios total	National Park Brown	02-000585-0
SH60-702018ANE4	70” Curved Cage Shroud	(2) Ericsson RUS32 radios	Off-White	02-000290-0
SH60-702018DNE4	70” Curved Cage Shroud	(2) Ericsson RUS32 radios	Gray, RAL7035	02-000590-0
SH60-702018FNE4	70” Curved Cage Shroud	(2) Ericsson RUS32 radios	Black	02-000589-0
SH60-702018GNE4	70” Curved Cage Shroud	(2) Ericsson RUS32 radios	National Park Brown	02-000585-0
SH60-702018ANE7	70” Curved Cage Shroud	(1) Ericsson 8843, (1) Ericsson 4449, (2) Ericsson 220x radios	Off-White	02-000290-0
SH60-702018DNE7	70” Curved Cage Shroud	(1) Ericsson 8843, (1) Ericsson 4449, (2) Ericsson 220x radios	Gray, RAL7035	02-000590-0
SH60-702018FNE7	70” Curved Cage Shroud	(1) Ericsson 8843, (1) Ericsson 4449, (2) Ericsson 220x radios	Black	02-000589-0
SH60-702018GNE7	70” Curved Cage Shroud	(1) Ericsson 8843, (1) Ericsson 4449, (2) Ericsson 220x radios	National Park Brown	02-000585-0
SH60-702018ANN5	70” Curved Cage Shroud	(2) Nokia AHxxx 320W dual band radios	Off-White	02-000290-0
SH60-702018DNN5	70” Curved Cage Shroud	(2) Nokia AHxxx 320W dual band radios	Gray, RAL7035	02-000590-0
SH60-702018FNN5	70” Curved Cage Shroud	(2) Nokia AHxxx 320W dual band radios	Black	02-000589-0
SH60-702018GNN5	70” Curved Cage Shroud	(2) Nokia AHxxx 320W dual band radios	National Park Brown	02-000585-0
SH60-702018DNP2	70” Curved Cage Shroud	(3) Commscope ION CAP M radios	Gray, RAL7035	02-000590-0
SH60-702018ANXX	70” Curved Cage Shroud	Many custom configurations available. Consult your Charles Salesperson.	Off-White	02-000290-0
SH60-702018DNXX	70” Curved Cage Shroud	Many custom configurations available. Consult your Charles Salesperson.	Gray, RAL7035	02-000590-0
SH60-702018FNXX	70” Curved Cage Shroud	Many custom configurations available. Consult your Charles Salesperson.	Black	02-000589-0
SH60-702018GNXX	70” Curved Cage Shroud	Many custom configurations available. Consult your Charles Salesperson.	National Park Brown	02-000585-0

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks

SH60 ACCESSORIES

Part Number	Description
97-002309C-A*	Sky White 7" Offset Bracket
97-002309D-A*	Gray, RAL7035 7" Offset Bracket
97-002309F-A*	Black 7" Offset Bracket
97-002309G-A*	National Park Brown 7" Offset Bracket

*An offset bracket and appropriate flush bracket kit (see below) are both required to do an offset installation.

97-002351D-A	SH60-301814 Gray, RAL7035 Flush Bracket Kit
97-002351F-A	SH60-301814 Black Flush Bracket Kit
97-002351G-A	SH60-301814 National Park Brown Flush Bracket Kit
97-002349D-A	SH60-362018 Gray, RAL7035 Flush Bracket Kit
97-002349F-A	SH60-362018 Black Flush Bracket Kit
97-002349G-A	SH60-362018 National Park Brown Flush Bracket Kit
97-SHRD60051D-A	SH60-46 Gray, RAL7035 Flush Bracket Kit
97-SHRD60051F-A	SH60-46 Black Flush Bracket Kit
97-SHRD60051G-A	SH60-46 National Park Brown Flush Bracket Kit
97-002348D-A	SH60-503018/SH60-503027 Gray, RAL7035 Flush Bracket Kit
97-002348F-A	SH60-503018/SH60-503027 Black Flush Bracket Kit
97-002348G-A	SH60-503018/SH60-503027 National Park Brown Flush Bracket Kit
97-002342A-A	SH60-702018 Off-White Flush mounting Kit
97-002342D-A	SH60-702018 Gray, RAL7035 Flush Bracket Kit
97-002342F-A	SH60-702018 Black Flush Bracket Kit
97-002342G-A	SH60-702018 National Park Brown Flush Bracket Kit



30” HIGH SH60-301814 DIMENSIONS (in.)

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

Charles

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks











36” HIGH SH60-362018 DIMENSIONS (in.)











36” HIGH SH60-362322 DIMENSIONS (in.)

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

Charles

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks



46” HIGH SH60-461414 DIMENSIONS (in.)



46” HIGH SH60-461814 DIMENSIONS (in.)

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

Charles

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks



50” HIGH SH60-503018 DIMENSIONS (in.)



50” HIGH SH60-503027 DIMENSIONS (in.)

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com

SHRD60 Concealment Shrouds

Small Cell / Densification Shrouds for Wireless Networks



70" HIGH SH60-702018 DIMENSIONS (in.)

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, Ltd.

Phone: (847) 806-6300
Fax: (847) 806-6231
Web: www.charlesindustries.com